










Dovetail Drawer Box Pricing

Additional Options and Pricing

Additional Options and Pricing		
Bottom Thickness		
1/4"	Standard	
3/8"	Requires 1/8" to be added to the drawer box height	
No Bottom	Optional	
Bottom Reveal		
1/2"	Standard	
3/8"	Optional	
Finished with clear top coat, per box		
100 lineal inches or fewer per box		
Greater than 100 lineal inches per box		
Logo Burn		
Private label logo burn		
Top Edge Profiles		
<div><div><p>Standard eased edge 1/16" Radius No upcharge</p></div><div><p>Eased edge front and back bull-nosed sides</p></div><div><p>Machine edge four sides</p></div><div><p>Bull-nosed full radius edge four sides</p></div><div><p>1/8" Routed edge All except outside front edge</p></div><div><p>Offset sides Sides 1/16" lower than front and back</p></div></div>		

Reveal Detail

Reveal: 1/2" or 3/8"





*Contact your Customer Service Representative for tooling requirements and costs.

Dovetail Drawer Box Options

Undermount Notching Options


- Minimum drawer box width 6"
- Undermount notching only
- Undermount notching with hook hole boring (detail shown below)
- 2-1/2" wide undermount notching only
- 2-1/2" wide undermount notching with hook hole boring (detail shown below)
- Wide undermount notching with hook hole boring (detail shown below)
(Entire back will be notched on boxes less than 9-3/4" wide).



Undermount with hook hole boring 2-1/2" wide notch with hook hole boring Wide Undermount with hook hole boring


Bread Box Top Routing

- Designed for 1/8" or 1/4" thick lids
- 9/32" deep groove on sides only
- 1/8" rout is 5/32" wide
- 1/4" rout is 9/32" wide
- Minimum box height 4"
- **Lid not included.**




Hand Pull

- Minimum box width is 9"
- Hand pull is 5-1/4" wide and 11/16" deep, centered on front of drawer box



Cut-Down Sides

- Available for 3" or 4" high drawer boxes only
- Add 1/8" to box height dimensions when ordering 3/8" bottoms
- Rear box height 2"







Dovetail Drawer Box Options (continued)



Keyboard Tray Option

- Minimum box width 12"
- Minimum box height 2"
- Maximum box height 3-1/8"




Blum TANDEM Clip Options

- Pre-drilling and installation options are for Blum TANDEM drawer hardware.
- Minimum box width 5-1/2"
- 1/2" reveal only
- Undermount notching with hook hole boring are not standard and must be specified.




Dovetail Drawer Box Options (continued)

Roll Out Drawer Front Option




- Drawer box front is 1" wider than the overall ordered box width
- Minimum box width is 8"

Visible Storage Unit Routing




- Minimum box width is 12"
- Minimum box height is 7"
- Maximum box width is 24"
- Removable divider included. Located 1-1/2" behind front of drawer box.


Trash Can Pull Out



Single cut out



Double cut out



Unit only, no cut out

- Available in Natural Birch and Hard Maple.
- 11/16" Hard Maple plywood top for Natural Birch and Hard Maple units.
- When ordering trash can pull outs, specify the drawer box width. The top will extend 3/8" past the sides of the drawer box.
- Designed to be used with side mount full extension slides - hardware not included.
- Unit with single cut out includes one Rubbermaid® 7-gallon, almond color waste can; double cut out includes two waste cans; no cut out option does not include a waste can.
- Front height is 10" to accommodate door mounting hardware. Rear height is 3".
- Depth: 21-3/4" fixed.
- Options and pricing (Natural Birch and Hard Maple).

Single cut out:

Minimum width: 11"

Maximum width: 21"

Double cut out:

Minimum width: 15"

Maximum width: 27"

Unit only, no cut out (solid top shipped loose):

Minimum width: 11"

Maximum width: 27"


Waste can only: Part#2100102A

Finishing: Upcharge applies


Cutlery Dividers

- Available in Natural Birch and Hard Maple.
- When ordering specify design A, B, C, D, E, F, G or H.
- Specify depth and width in 1/16" increments. Both dimensions are measured from outside edge to outside edge.
- Depth for all designs must be between 16" to 22". Refer to specific design for width range.
- When ordered with a drawer box, cutlery dividers are sized 1-5/16" less than the width and depth of the overall drawer box size.
- To order a custom size cutlery divider, specify the depth, width and design as a separate line item on the order form.
- Standard height is 3-1/8". Height modifications available; see following pages for options and pricing.
- Finishing option upcharge applies.


Design A




Design B



Design C




Design D




Custom Drawer Accessories (continued)


Design E




Design F



Design G



Design H




No Bottom Option

- No upcharge
 - ❖ All cutlery divider designs are constructed with a 1/4" bottom unless "NO BOTTOM" is specified.
 - ❖ Maximum height of cutlery dividers with no bottom is 2-7/8".

Reduced Height Option

- Upcharge applies
 - ❖ All divider designs can be reduced in height for specialty applications. Specify divider height when ordering.
 - ❖ Minimum divider height with bottom is 1-5/8".
 - ❖ Minimum divider height without bottom is 1-3/8".

Sliding Cutlery Divider




- ❖ Available with all divider configurations; specify design when ordering.
- ❖ Top divider is 1-3/8" high mounted on a 1/4" base.
- ❖ Recommended maximum drawer box width is 24" to ensure proper operation.




Custom Drawer Accessories (continued)

Knife Block Insert



- Can be sized to fit a specific drawer box or ordered separately. If ordering separately, specify width and depth.
- Knife block and handle rest are unfinished Hard Maple mounted on a prefinished 1/4" bottom.
- Spacing is 1-1/4" between slots.
- Minimum insert: 7-1/2" wide x 16" deep.
- Maximum insert: 21" wide x 22" deep.

Spice Tray Insert



- Can be sized to fit a specific drawer box or ordered separately. If ordering separately, specify width and depth.
- 3/4" diameter finger hole centered on lead rail for ease of removal from a drawer box.
- Spice rests are 5-1/4" wide, 1-1/2" high.
- Minimum insert: 7-1/2" wide x 17" deep.
- Maximum insert: 32" wide x 22" deep.


Spice Tray Insert Width

Specie	7-1/2" to 15"	15-1/16" to 23"	23-1/16" to 32"
Natural Birch			
Maple, Hard			



Spice Storage Units

- Dovetail construction with 5/8" thick sides and ends.
- 1/4" plywood back flush with back of unit.
- 32mm linebore shelf support system.
- 5mm locking shelf clips.
- Matching specie retainer rail attached to unit bottom and each adjustable shelf.
- Installation hardware is not included. Additional hinges and adequate installation hardware are required to ensure proper operation.
- Available size range:
Height: 18" to 36"
Width: 8" to 21"
Depth: 3-1/8" fixed
- Finishing option upcharge applies.



Number of Shelves - Spice Storage Units

Unit Height	Shelves Per Unit
18" - 23"	2
23-1/16" - 31"	3
31-1/16" - 36"	4

Spice Storage Unit Pricing


Unit Height	Unit Width					
	Natural Birch			Hard Maple		
	8" to 13"	13-1/16" to 17"	17-1/16" to 21"	8" to 13"	13-1/16" to 17"	17-1/16" to 21"
18" to 23"						
23-1/16" to 31"						
31-1/16" to 36"						

To determine the list price of an interior storage unit:

- Find the size range of the unit in the applicable specie table. Select the price based on the overall width and height of the unit.
- Add finishing charges if applicable.



Can Storage Units



- Dovetail construction with 5/8" thick sides and ends.
- 1/4" plywood back flush with back of unit.
- 32mm linebore shelf support system.
- 5mm locking shelf clips.
- Matching specie retainer rail attached to unit bottom, fixed center shelf and each adjustable shelf.
- For structural integrity, units over 39" high have one fixed shelf, centered.
- Installation hardware is not included. Additional hinges and adequate installation hardware are required to ensure proper operation.
- Available size range:
Height: 21" to 60"
Width: 8" to 21"
Depth: 5" fixed
- Finishing option upcharge applies.


Number of Shelves - Can Storage Units

Unit Height	Shelves Per Unit
21" - 23"	2
23-1/16" - 31"	3
31-1/16" - 39"	4
39-1/16" - 47"*	5
47-1/16" - 55"*	6
55-1/16" - 60"*	7

*Units over 39" include 1 fixed shelf

Can Storage Unit Pricing

Unit Height	Unit Width					
	Natural Birch			Hard Maple		
	8" to 13"	13-1/16" to 17"	17-1/16" to 21"	8" to 13"	13-1/16" to 17"	17-1/16" to 21"
21" to 23"						
23-1/16" to 31"						
31-1/16" to 39"						
39-1/16" to 47"						
47-1/16" to 55"						
55-1/16" to 60"						



Loose shelves:

- Specify spice or can style and unit width.
- Finishing is included in price.


Spice Storage Units:

Can Storage Units:




Pull-out Storage Units

Base Units




- All base storage units 23" deep and 30" high.

Wall Units




- Available in 30", 36" and 42" high.
- All wall storage units 11-1/8" deep.

Vanity Units



- Available in 26" (vanity) and 30" (base) heights.
- All vanity storage units 19" deep.
- 26" high include 3 adjustable shelves and 4 plastic trays.
- 30" high include 4 adjustable shelves and 6 plastic trays.

Pull-out Storage Unit Installed



- Mount pull-out storage units to adjacent cabinets.

- Pull-out storage units are designed for 3" or 6" spaces between cabinets and can be accessed from both sides.
- Storage units are fully assembled and packaged with installation instructions.
- Wall and base storage units include adjustable shelves with chrome rails and full-extension ball-bearing slides.
- Vanity storage units include plastic accessory trays and shelf rails.
- Prefinished natural birch only; unfinished units are not available.
- Front fascia panels are not included and must be ordered separately.

Pull-out Storage Unit Pricing


Part No.	Description	Price
2100750A	3" Base Pull-out Storage Unit	
2100751A	6" Base Pull-out Storage Unit	
2100752A	3" Wall Pull-out Storage Unit - 30" High	
2100753A	6" Wall Pull-out Storage Unit - 30" High	
2100754A	3" Wall Pull-out Storage Unit - 36" High	
2100755A	6" Wall Pull-out Storage Unit - 36" High	
2100756A	3" Wall Pull-out Storage Unit - 42" High	
2100757A	6" Wall Pull-out Storage Unit - 42" High	
2100758A	3" Vanity Pull-out Storage Unit - Vanity Height	
2100759A	6" Vanity Pull-out Storage Unit - Vanity Height	
2100760A	3" Vanity Pull-out Storage Unit - Base Height	
2100761A	6" Vanity Pull-out Storage Unit - Base Height	




Plate Organization Kits

- Plate organization kits are designed to be installed in deep drawer boxes for stacked dishware storage.
- Base plates need to be cut to fit the interior dimensions of a specific drawer box.
- Perforated base plates have adjustment holes in 32mm intervals and are 3/8" thick covered with Beech wood grained melamine.
- Adjustable support posts are 6-5/16" high and are solid Beech with a natural finish. Posts mount to base plate with a threaded insert, secured with a fastening nut.
- Two styles of support posts are designed to accommodate different shapes and sizes of dishware: triangular and round.
- Posts are sold in sets of 4 and must be ordered separately.


Plate Organizer Pricing		
Part No.	Description	Price
557.46.001	Base 21" x 24"	
557.46.000	Base 36" x 24"	
557.46.010	Post, round 1 set = 4 posts	
557.46.011	Post, triangular 1 set = 4 posts	



Base Plate



Round Post




Triangular Post

Lazy Susan Shelves

- Wood susans are designed to be installed onto adjustable shelves or cabinet floors. Pricing includes susan and mounting ring bearing only, cabinet shelves not included.
- Susans mount directly on surfaces - no center pole is required.
- All susans are prefinished with a clear topcoat; unfinished units are not available.


Standard Wood Lazy Susan Shelves



Part No.	Description	Price
2100050A	32" Kidney-Wood Lazy Susan	
2100051A	32" Full Round-Wood Lazy Susan	
2100052A	28" Kidney-Wood Lazy Susan	
2100053A	18" Full Round-Wood Lazy Susan	

- 1/2" thick Hard Maple plywood with a 1-1/2" high laminated edge.
- Sold individually and includes a center mounted ring bearing.


Deep Wood Lazy Susan Shelves



Part No.	Description	Price
2100032A	30" Kidney-Wood Lazy Susan	

- 1/2" thick Hard Maple plywood with a 6" high laminated edge.
- Note: Shelf diameter, profile and contour do not match standard wood kidney listed above.
- Sold individually and includes a center mounted ring bearing.


10" Wood Spice Susan



Part No.	Description	Price
2100789A	10" Wood Spice Susan	

- 1/2" thick Hard Maple plywood with a 1" high laminated edge.
- Fastener free installation; individual shelves include 4" bearing with non-slip feet.
- Susans sit on shelf or cabinet floor surfaces and can easily be moved.

Wire Rim Wood Susan Shelves




Part No.	Description	Price
2100788A	32" Kidney Wire Rim Lazy Susan Set	
2100786A	32" Full Round Wire Rim Lazy Susan Set	
2100787A	28" Kidney Wire Rim Lazy Susan Set	
2100785A	28" Full Round Wire Rim Lazy Susan Set	

- 1/2" thick Hard Maple plywood with 1-1/2" high laminated edge and 2" high powder coated wire rim.
- Interior height is 3".
- Sold in pairs only.



Pull-Out Trays



- Provides tool free location change of pull out trays
- Adjustable pull-out system features unfinished Soft Maple components
- Boxes are 2-3/16" high and available for 21" or 24" deep base, vanity or tall cabinets
- Ball bearing full extension drawer slides are standard – no options
- All POT kits available sized for inset (1-1/2" less in drawer box width) to allow for door clearance with non-mortise hinges. Also can be used in cabinets adjacent to a wall or a tall cabinet where doors may not open fully for additional clearance. Add "I" to the end of the POT code for inset sizing. Example: POT21524-I
- Pricing: per POT system

Pull-Out Trays - Product Code Descriptions		
Code	Name	Description
POT1	Pull-Out Tray	For base or vanity cabinet with 1 pull-out tray per opening
POT2	Pull-Out Tray	For base or vanity cabinet with 2 pull-out trays per opening
POTT	Pull-Out Tray Tall	For tall cabinets with 4 pull-out trays
POTS	Pull-Out Tray Single	Individual pull-out tray: drawer cleats, slide, bumpers and one drawer box
BD	Butt Door Indicator	Codes ending in "BD" indicate pull-out trays designed for use with butt door cabinets

On the Cabinet Systems order form, enter the desired pull-out tray code number in the column "Conestoga Cabinet Code #". This pull-out tray must match the width, depth and door configuration of the cabinet it is to be installed in.

Example of pull-out tray code number **POT11524**


Pull-Out Tray
One drawer
For base or vanity cabinet with
one pull-out tray per opening

For a 15"
wide cabinet

For a 24" deep cabinet
A POT11521 would be a
21" deep unit




POT1 - Pull-Out Trays



- Corner cleats can be trimmed to size when used with a shelf

24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POT11524		—		POT11521		—	
POT11824		—		POT11821		—	
POT12124		—		POT12121		—	
POT12424		—		POT12421		—	
—		POT12724BD		—		POT12721BD	
—		POT13024BD		—		POT13021BD	
—		POT13324BD		—		—	
—		POT13624BD		—		POT13621BD	
—		POT13924BD		—		—	
—		POT14224BD		—		—	

POT1 - Pull-Out Trays




- Corner cleats can be trimmed to size when used with a shelf

24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POT13024		—		POT13021		—	
POT13324		—		—		—	
POT13624		—		POT13621		—	
POT13924		—		—		—	
POT14224		—		—		—	
POT14524		—		—		—	
POT14824		—		—		—	




POT2 - Pull-Out Trays



- Corner cleats can be trimmed to size when used with a shelf

24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POT21524		—		POT21521		—	
POT21824		—		POT21821		—	
POT22124		—		POT22121		—	
POT22424		—		POT22421		—	
—		POT22724BD		—		POT22721BD	
—		POT23024BD		—		POT23021BD	
—		POT23324BD		—		—	
—		POT23624BD		—		POT23621BD	
—		POT23924BD		—		—	
—		POT24224BD		—		—	

POT2 - Pull-Out Trays




- Corner cleats can be trimmed to size when used with a shelf

24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POT23024		—		POT23021		—	
POT23324		—		—		—	
POT23624		—		POT23621		—	
POT23924		—		—		—	
POT24224		—		—		—	
POT24524		—		—		—	
POT24824		—		—		—	




POTT - Pull-Out Trays Tall



- Corner cleats can be trimmed to size when used with a shelf

24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POTT1524		—		—		—	
POTT1824		—		POTT1821		—	
POTT2124		—		POTT2121		—	
POTT2424		—		POTT2421		—	
—		POTT2724BD		—		—	
—		POTT3024BD		—		—	
—		POTT3324BD		—		—	
—		POTT3624BD		—		—	


POTS - Pull-Out Trays Single Shelf



- No corner cleats included
- Designed to be used when additional trays are needed within a POT system


24" Deep		24" Deep w/Butt Doors		21" Deep		21" Deep w/Butt Doors	
POTS1524		—		POTS1521		—	
POTS1824		—		POTS1821		—	
POTS2124		—		POTS2121		—	
POTS2424		—		POTS2421		—	
—		POTS2724BD		—		POTS2721BD	
POTS3024		POTS3024BD		POTS3021		POTS3021BD	
POTS3324		POTS3324BD		—		—	
POTS3624		POTS3624BD		POTS3621		POTS3621BD	
POTS3924		—		—		—	
POTS4224		—		—		—	
POTS4524		—		—		—	
POTS4824		—		—		—	

Adjustable Pull Out Tray System Kits




Base/Vanity Corner Cleats: 4 pieces $\frac{3}{4}$ " X 1" X 19- $\frac{1}{4}$ "
(six positions)
Tall Corner Cleats: 4 pieces $\frac{3}{4}$ " X 1" X 51- $\frac{3}{4}$ "
(16 positions)

- Adjustable pull out tray hardware systems feature unfinished Soft Maple components and 75lb. capacity ball bearing full extension drawer slides. Drawer boxes not included.
- Kits are available for base (24" deep), vanity (21" deep) or tall utility (21" and 24" deep) cabinetry applications. Base and vanity kits include hardware for 2 full width pull outs. Tall kits include hardware for 4 full width pull outs.
- Two cleat widths "A" or "B" (horizontal drawer slide supports) are available to accommodate overlay or inset and framed or frameless cabinet construction.
- Vertical corner cleats can be trimmed in height to accommodate adjustable shelves.
- 4 day standard lead-time, 2 day code red expedite lead-time.



SYSTEM CLEAT WIDTH "A"
Base/Tall: $\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 21- $\frac{11}{16}$ "
Vanity: $\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 18- $\frac{11}{16}$ "



SYSTEM CLEAT WIDTH "B"
Base/Tall: $\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 21- $\frac{11}{16}$ "
Vanity: $\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 18- $\frac{11}{16}$ "

System Kits - Cleat Width "A"			System Kits - Cleat Width "B"		
Kit Number	Description	Price	Kit Number	Description	Price
SYSB24-AA	Base 24" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 21- $\frac{11}{16}$ ")		SYSB24-BA	Base 24" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 21- $\frac{11}{16}$ ")	
SYSTB24-AA	Tall 24" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 21- $\frac{11}{16}$ ")		SYSTB24-BA	Tall 24" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 21- $\frac{11}{16}$ ")	
SYSV21-AA	Vanity 21" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 18- $\frac{11}{16}$ ")		SYSV21-BA	Vanity 21" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 18- $\frac{11}{16}$ ")	
SYSTV21-AA	Tall 21" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 18- $\frac{11}{16}$ ")		SYSTV21-BA	Tall 21" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 18- $\frac{11}{16}$ ")	
Single Shelf Kits - Cleat Width "A"			Single Shelf Kits - Cleat Width "B"		
Kit Number	Description	Price	Kit Number	Description	Price
SYSSB24-AA	Base 24" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 21- $\frac{11}{16}$ ")		SYSSB24-BA	Base 24" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 21- $\frac{11}{16}$ ")	
SYSSV21-AA	Vanity 21" ($\frac{3}{4}$ " X 1- $\frac{5}{16}$ " X 18- $\frac{11}{16}$ ")		SYSSV21-BA	Vanity 21" ($\frac{3}{4}$ " X 2- $\frac{1}{16}$ " X 18- $\frac{11}{16}$ ")	




Lattice Wine Racks

Lattice Wine Rack Pricing				
Model	Size	Unfinished Price		
		Red Oak	Hard Maple	Cherry
Standard	17" x 36"			
	24" x 30"			
	24" x 43"			
Square	17" x 36"			
	24" x 30"			
	24" x 43"			
Deluxe	17" x 36"			
	24" x 30"			
	24" x 43"			



Lattice Wine Racks

- Sold individually (specify two pieces if pair is desired).
- Trimmable in length and width.
- Standard rack bottle openings are 4" x 4".
- Square and Deluxe bottle openings are 4-1/4" x 4-1/4".
- Square and Deluxe wine racks can be used to make a pair.
- Available unfinished or finished. See Solid Wood Finishing Program section for pricing.





Standard

Standard cross section




Square

Square cross section




Deluxe

Deluxe cross section




☐ Custom item 7 to 10 day lead time. ☐ Stock item- 4 day lead time/2 day red expedite (20% upcharge).

Half Round Wine Racks




-
- Use 1.25 sq. ft. to calculate 30" racks and 1.50 sq. ft. to calculate 36" racks.
- Sold in pairs (front and back).
- 3/4" thick only, 30" or 36" length.
- Front is 2" high, back is 3" high.
- Bottle cutouts start 3" from end on 30" and 3-1/2" on 36".
- 30" holds 5 bottles, 36" holds 6 bottles.
- Horizontal grain direction only.
- Available unfinished or finished. See Solid Wood Finishing Program section for pricing.


Custom Cutting Boards




1-piece Slab



3-piece Slab




1-piece Barrel



3-piece Barrel

- Cutting boards are available in all species.
- All cutting boards utilize category B square foot material charge.
- Cutting boards are 3/4" thick; one-piece slab designs also available in 1" thick.
- Minimum size for all styles is 10" x 10", maximum size is 18" x 22".
- All designs include 3/4" radius corners and 3/32" radius edges.
- Three-piece designs are made using 2-5/16" wide rails on face (horizontal grain) with pinless construction.
- All cutting boards have a routed drip groove into the face of the board to collect liquids.
- No oils or finishing treatments will be applied by Conestoga.
- Care instructions for wood cutting boards:
 - ❖ Treat wood with butcher block oil or mineral oil only.
 - ❖ To clean, wipe with a mixture of warm water and a mild dish detergent. Never submerge cutting boards in water or place in dishwasher.
- Hand pull option on back of cutting board is available.




Hand Pull - 1/4" depth,
3-1/2" long



Drip Groove - 5/32" depth


Stemware Holders



Specie	Unfinished Price	
	30"	36"
Cherry		
Hard Maple		
Hickory		
Red Oak		

- 30" (7 slots) or 36" (8 slots) width.
- Spacing between slats
30" stemware holder – 1-1/8"
36" stemware holder – 1-3/8"
- Depth 11-1/4".
- Thickness 1-1/2".
- Constructed of solid wood.
- Accommodates most stemware styles.
- Available unfinished or finished. See Solid Wood Finishing Program section for pricing.

Plate Rack Displays



Specie	Unfinished Price	
	30"	36"
Cherry		
Hard Maple		
Hickory		
Red Oak		

Plate Rack Displays

- Sold in pairs.
- 30" or 36" width.
- Overall height 13-1/16".
- Thickness 3/4".
- Constructed with 7/16" same specie dowels, 2" on center.
- Removable center dowel for ease of cleaning.
- Available unfinished or finished. See Solid Wood Finishing Program section for pricing.

Base Organizer Units



- Designed to be installed inside 9", 12" or 15" wide full height door base cabinets.
- Adjustable door mount hardware included.
- Organizer units are fully assembled and packaged with installation instructions.
- Units include adjustable shelves with chrome rails and full-extension ball bearing drawer glides.
- Prefinished in natural Birch only; unfinished units are not available.
- Front door panels are not included and must be ordered separately.

Part No.	Size (W x H x D)	Fits Cabinet	Price	Rev•A•Shelf Reference
2100771	5" x 25-1/2" x 22-1/2"	9" wide		448-BC-5C
2100772	8" x 25-1/2" x 22-1/2"	12" wide		448-BC-8C
2100773	11" x 25-1/2" x 22-1/2"	15" wide		448-BC-11C

Wall Organizer Units



- Designed to be installed inside 9" or 12" wide full height door wall cabinets.
- Adjustable door mount hardware included.
- Organizer units are fully assembled and packaged with installation instructions.
- Units include adjustable shelves with chrome rails and full-extension ball bearing drawer glides.
- Prefinished in natural Birch only; unfinished units are not available.
- Front door panels are not included and must be ordered separately.

Part No.	Size (W x H x D)	Fits Cabinet	Price	Rev•A•Shelf Reference
2100778	5" x 26-1/4" x 10-3/4"	9" wide		448-WC-5C
2100779	8" x 26-1/4" x 10-3/4"	12" wide		448-WC-8C



REV•A•SHELF® Cabinet Accessories (continued)


Pull-out Waste Recycling Center



- Designed to be installed in 24" wide base cabinets. Minimum cabinet opening width required is 20-1/8". Minimum cabinet opening height required is 21".
- Recycling center includes 3 removable 25 quart polymer containers (yellow, blue and green) and an 18 quart washable canvas bag.
- Floor mounted unit includes 100lb capacity undermount drawer glides with soft-close feature and installation hardware.
- Front door panels are not included and must be ordered separately.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100762	19-15/16" x 20-1/2" x 21-15/16"		5349-9WM-C

Removable Under Sink Caddy with Chrome Basket



- Floor mounted unit designed to install in most sink base cabinets.
- Removable caddy makes commonly used cleaning agents portable.
- Adjustable handle accommodates plumbing fixtures. Reversible top tray stores full rolls of paper towels.
- Installation hardware included.
- Wire frame construction with chrome finish and black plastic.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100766	11-1/4" x 19-1/2" x 16-1/4"		544-10C-1



REV•A•SHELF® Cabinet Accessories (continued)

Side Mount Under Sink Basket



- Designed to install in most sink base cabinets.
- Cabinet side mounted two tiered tray designed to accommodate plumbing fixtures.
- Installation hardware included.
- White wire frame construction with reversible ball bearing slides for left or right installations.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100763	9-3/4" x 18" x 16"		548-10

Pull-out Towel Bar



- Cabinet side mounted unit designed to be installed in most sink base cabinets.
- 3 individual chrome prongs accommodate dish towels.
- Units slide out 12" beyond cabinet front for easy access.
- Universal brackets for left and right installations.
- Installation hardware included.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100764	5" x 1-1/4" x 17-3/4"		563-47 C

U-Shaped Tray Dividers



- Floor or shelf mounted units designed to be installed in most wall, base and tall cabinets.
- Sold individually, each unit provides 3" of storage space; use multiple units as necessary to divide and accommodate cabinet interior space.
- Installation hardware included.
- Wire frame construction with chrome finish.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100765	3" x 10" x 11-7/8"		596-10CR-52



REV•A•SHELF® Cabinet Accessories (continued)

Two-tier Cookware Organizers



- Units are designed to be installed inside 15" or 24" wide base cabinets.
- Two independent racking systems accommodate pots, pans and their corresponding lids.
- Vertical dividers are independently adjustable.
- Units mount to floor, side and back of cabinets.
- 100lb capacity full extension drawer glides.
- Installation hardware included.
- Wire frame construction with chrome finish.

Part No.	Size (W x H x D)	Fits Cabinet	Price	Rev•A•Shelf Reference
2100767	11-3/4" x 18" x 22"	15" wide		5CW2-1222-CR
2100768	20-3/4" x 18-1/8" x 22"	24" wide		5CW2-2122-CR

Sink Front Tip-out Trays



- Designed to provide convenient storage behind sink front drawers.
- Sold in pairs; can be used individually for smaller drawer fronts or in tandem for wider drawer fronts.
- Trays are white, high impact polystyrene. One tray is open and one includes an integral soap dish and ring post.
- Each kit includes two pair of spring loaded scissor style hinges and installation hardware.
- Drawer fronts are not included and must be ordered separately.

Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100769	11" x 3-13/16" x 2-1/8"		6572-11-15-52
2100770	14" x 3-13/16" x 2-1/8"		6572-14-15-52

Heavy Duty Mixer Lift



- Side mounted hardware kit designed to be installed in full height base cabinets.
- Recommended for use in 18", 21" or 24" wide full height door cabinets.
- Adjustable spring loaded mechanism with chrome finish.
- 60 lb. weight capacity accommodates most stand style mixers.
- Installation hardware included.
- Shelf not included.

Part No.	Fits Cabinet	Price	Rev•A•Shelf Reference
2100774	18", 21", or 24" (wide)		RAS-ML-HDCR

File Drawer Support Systems



- Insert unit designed to fit inside of deep drawers to accommodate hanging folder systems.
- Designed for 18" or 21" wide cabinets. Rails are trimmable for additional customization.
- Small file system accommodates letter size hanging folders.
- Large file system accommodates legal size hanging folders.
- Wire frame construction with black finish.
- Hanging folders are not included.


Part No.	Size (W x H x D)	Price	Rev•A•Shelf Reference
2100775	13" x 9-3/4" x 19-1/4"		RAS-SMFD-52
2100776	15-7/8" x 9-3/4" x 19-1/4"		RAS-LGFD-52

Cabinet Accessories (continued)

LeMans Corner Pull-out Shelf



- Designed to be installed inside full height or drawer/door blind corner base cabinets.
- Minimum door opening angle of 90 degrees required.
- Unit includes 2 trays and 2 posts.
- Shelves have Maple patterned non-slip surfaces with platinum colored metal rails.
- Shelf height is adjustable.
- Can easily be retrofitted into existing blind corner cabinetry.
- Maximum load per shelf is 65 lbs.



Corner Pull-out Shelf – Full Door Height Unit (Requires 28" Minimum Cabinet Interior Height)							
Part Number	Shelf Size	Interior Width A	Interior Depth B	Opening width (Framed) C	Opening Width (Frameless) C	Swing	Price
541.33.445	15"	33-1/2"	21"	15"-16"	16"-17"	Right	
541.33.446	15"	33-1/2"	21"	15"-16"	16"-17"	Left	
541.33.450	18"	34-1/2"	21"	18"-19"	19"-20"	Right	
541.33.451	18"	34-1/2"	21"	18"-19"	19"-20"	Left	
541.33.460	21"	39-1/2"	21"	21"-22"	22"-23"	Right	
541.33.461	21"	39-1/2"	21"	21"-22"	22"-23"	Left	

Corner Pull-out Shelf – Drawer/Door Height Unit (Requires 21-1/2" Minimum Cabinet Interior Height)							
Part Number	Shelf Size	Interior Width A	Interior Depth B	Opening width (Framed) C	Opening Width (Frameless) C	Swing	Price
541.33.870	15"	33-1/2"	21"	15"-16"	16"-17"	Right	
541.33.871	15"	33-1/2"	21"	15"-16"	16"-17"	Left	
541.33.872	18"	34-1/2"	21"	18"-19"	19"-20"	Right	
541.33.873	18"	34-1/2"	21"	18"-19"	19"-20"	Left	
541.33.874	21"	39-1/2"	21"	21"-22"	22"-23"	Right	
541.33.875	21"	39-1/2"	21"	21"-22"	22"-23"	Left	



Cabinet Accessories (continued)

Blind Corner System



- Swing-out pantry and roll out shelves maximize accessibility in blind corners.
- Units include drawer slides and installation instructions.
- Designed for blind cabinets with 15" wide or larger openings.
- Minimum frame opening height required is 19-3/4".
- Minimum cabinet interior depth is 22-5/8". Will not work with standard depth Cabinet Systems cabinetry.
- Piano hinge on swing-out unit is reversible for left and right installation applications.
- 1/2" thick Maple with a clear finish; unfinished units are not available.

Part No.	Description	Price
2100790	Blind Corner System	

Tray Roll-Out



- Designed to be installed inside 9", 12" or 15" wide cabinets.
- Units are fully assembled including drawer slides and installation instructions.
- Maple plywood construction with removable dividers.
- Units are 10" high and 22-5/16" deep fixed. Will not work with standard depth inset Cabinet Systems cabinetry.
- Door requires special lower hinge height location to clear 3-1/4" high drawer front; 6" from bottom of door is recommended with 1-1/2" framing.
- Does not work with concealed inset hinges.
- Prefinished in natural Birch only; unfinished units are not available.

Part No.	Description	Price
2100791	Roll-out for 9" base cabinet (5-3/4" wide) – 1 divider	
2100792	Roll-out for 12" base cabinet (8-3/4" wide) – 2 dividers	
2100793	Roll-out for 15" base cabinet (11-3/4" wide) – 3 dividers	

Cabinet Accessories (continued)

Pull-Out Bottom Mount Trash Can Units



- Units are preassembled and include trash cans, installation instructions and hardware.
- Attaches to back of door with 6 way adjustability. Door hinging is not required
- Platinum metal base and trash cans.
- Trash cans are 36 quart capacity.
- Bottom mount unit with full extension soft close slides.
- 110 lb. weight capacity.
- Single and double trash can units available.

Single Trash Can Unit:

Minimum Opening Width: 12" Framed Cabinets
12-3/4" Frameless Cabinets

Minimum Opening Height: 19-1/4"

Minimum Interior Depth: 21-13/16"

Part No.	Price
503.15.801	

Double Trash Can Unit:

Minimum Opening Width: 14-3/4" Framed Cabinets
15-1/2" Frameless Cabinets

Minimum Opening Height: 19-1/4"

Minimum Interior Depth: 21-13/16"

Part No.	Price
503.15.802	

Under-sink Mat



- Designed to contain water or other fluids to prevent damage to cabinet.
- Dimpled surface can collect 1 gallon of water per 6 square feet.
- Can be easily cut to fit most cabinet interiors.
- Polystyrene sheet with grey/stainless finish.

Part No.	Size	Price
547.91.550	24-5/8" x 45-1/2"	